

WARNING

THIS BIRTH CONTROL METHOD MAY BE HAZARDOUS TO YOUR HEALTH

Depo-Provera is potentially life-threatening

And yet it was approved by the FDA for birth control use in the United States effective January 1993. An injectable birth control drug first introduced in the 1970s, Depo-Provera was found to be unsafe by women's health care advocates who campaigned to ban the drug.

Women of color are at special risk.

Upjohn Company, the manufacturer tested the drug on poor women and women of color here and around the world—without informing them of the risks. In this country, these same populations of women have historically been subjected to sterilization abuses. "The shot" is currently disproportionately pushed on poor women, women of color, and women with disabilities.

The effects of Depo-Provera are irreversible.

Depo-Provera is injected every three months to prevent pregnancy. Once you've gotten the shot, there is no antidote to reverse its effects. Women can suffer from side effects long after they have stopped using the drug.

Depo-Provera will not protect you from HIV/AIDS.

Birth control methods like Depo-Provera and Norplant provide no protection from HIV/AIDS and other sexually transmitted diseases. Further, there is evidence that Depo-Provera actually increases the risk of HIV, chlamydia, and gonorrhea.

Potential Health Hazards of Depo-Provera Include:

- **Breast Cancer** According to three separate studies, breast cancer occurs two to four times more often among young women who use Depo-Provera.
- **Osteoporosis** Depo-Provera is now believed to cause loss of bone mass among women. Osteoporosis is a debilitating condition that becomes more life-threatening as women grow older.
- **Cervical Cancer** Some studies indicate that Depo-Provera increases the risk of cervical cancer.
- **Excessive Bleeding** Depo-Provera can cause heavy and prolonged menstrual bleeding.
- **Weight Change** On average, Depo users gain 12-16 pounds over four to five years, but some women have gained up to 40 pounds.
- **Difficulty Getting Pregnant** Some women who stop using Depo-Provera don't get their period again for as long as two years, preventing pregnancy for much longer than intended.

Other Side Effects: Severe Depression, Loss of Sex Drive, Fatigue, Dizziness, Headaches, Nervousness, Abdominal Pain, Hair Loss, Facial Hair Growth.



DEPO-PROVERA

Get The Facts Before You Get The Shot

[DePo Teen 20](#)



Learn about the potential side effects of Depo-Provera (medroxyprogesterone). Includes common and rare side effects information for consumers and healthcare professionals.. Description. Depo-Provera (depot medroxyprogesterone acetate, or DMPA) is a progestin-only method.. Yes. Facial hair and decreased sex drive can both be side effects of the Depo Provera (medroxyprogesterone) shot but the shot is extremely effective at preventing pregnancy.

Can you get depo shot early . 20 20 What is it like to . The FDA has advised that it not be used in teens especially under age 16. However, .. Find patient medical information for Depo-Medrol Injection on WebMD including its uses, side effects and safety, interactions, pictures, warnings and user ratings.

Depo-Provera official prescribing information for healthcare professionals. Includes: indications, dosage, adverse reactions, pharmacology and more.

Is smoking while on the shot a health risk? Published December 20, . I am 15 years old and i have been on the depo provera shot for almost a year now but i have .. Top 3 Birth Control Options for Your Teenage Daughter. . Disease Control and Prevention indicates that teen pregnancy rates are on the . (Depo -Provera) is a good .. Some women report withdrawal symptoms after stopping Depo-Provera, . you started in your teen years when there is . depo, Ive lost 20 but it did not start to .

Depo-Provera is a contraceptive shot that contains chemicals similar to those found in some birth control pills. Shots are usually scheduled 12 weeks apart.. Abnormal uterine bleeding is a . Patients on depo-medroxyprogesterone with persistent . or higher dose Provera (20 mg, 30 mg , 40 mg, 60 mg, 80 mg). If .

4eae9e3ecc

[7aam arivu tamil movie free 18](#)

[ninpo secrets shoto tanemura pdf 18](#)

[net monitor for employees professional 4.8.8 keygen 12](#)

[magamat e hariri pdf 12](#)

[psikey dll corel x5 free 276](#)

[a life less anxious pdf 14](#)

[zune software for pc 11](#)

[jonathan stroud bartimaeus trilogy epub 109](#)

[microsoft visual studio 2012 express 24](#)

[danmachi volume 5 epub 148](#)